




CAPITAL TRADING CORPORATION



PROFESSIONAL PNEUMATIC COIL NAILER



JCN55

Industrial Coil Nailer

FASTENER SPECIFICATION

Type	15° Flat Wire Welded Nails
Length	1" - 2-1/4" (25mm - 57mm)
Shank Dia	.083"- .090" (2.1mm -2.3mm)
Head Dia	.197"- .244" (5.0mm-5.7mm)
Load Capacity	300 – 400 Nails

APPLICATIONS -

Making And Repairing wooden Pallets and boxes All Types of Packing and crating work Fencing, Framing, roof decking, flooring.



JCN70

Industrial Coil Nailer

FASTENER SPECIFICATION

Type	15° Flat Wire Welded Nails
Length	1-3/4" – 2-3/4" (45mm - 70mm)
Shank Dia	.090"- 0.113" (2.3mm -2.9mm)
Head Dia	.224"- .283" (5.7mm-7.2mm)
Load Capacity	225 – 300 Nails

APPLICATIONS -

Making And Repairing wooden Pallets and boxes All Types of Packing and crating work Fencing, Framing, roof decking, flooring.



JCN80

Industrial Coil Nailer

FASTENER SPECIFICATION

Type	15° Flat Wire Welded Nails
Length	2" – 3-1/4" (50mm - 83mm)
Shank Dia	.099"- 0.131" (2.5mm -3.3mm)
Head Dia	.224"- .283" (5.7mm-7.2mm)
Load Capacity	250 – 300 Nails

APPLICATIONS -

Making And Repairing wooden Pallets and boxes All Types of Packing and crating work Fencing, Framing, roof decking, flooring.



JCN100C

Industrial Coil Nailer

FASTENER SPECIFICATION

Type	15° Flat Wire Welded Nails
Length	2-1/2" – 4" (65mm - 100mm)
Shank Dia	.113"- 0.131" (2.5mm -3.3mm)
Head Dia	.276"- .297" (7.0mm-7.5mm)
Load Capacity	200 – 250 Nails

APPLICATIONS -

Making And Repairing wooden Pallets and boxes All Types of Packing and crating work Fencing, Framing, roof decking, flooring.

FASTENER SPECIFICATION

Type	15° Flat Wire Welded Nails
Length	3-1/2" - 5-1/8" (90mm - 130mm)
Shank Dia	.0122" - .150" (3.1mm - 3.8mm)
Head Dia	.267" - .314" (6.8mm - 8.0mm)
Load Capacity	120 - 225 Nails

APPLICATIONS -

Making And Repairing wooden Pallets and boxes All Types of Packing and crating work Fencing, Framing, roof decking, flooring.



CN130
Industrial Coil Nailer

PROFESSIONAL PNEUMATIC C-RINGER



JC7
Industrial C-Ringer

FASTENER SPECIFICATION

Type	15GA C-A Ringer
Crown	0.940" (23.9mm)
Wire Dia.	0.70" 5/8" (1.8mm)
Inner Diameter After Fastening	0.315" (8mm)
Load Capacity	130

APPLICATIONS -

Automotive Seat, Mattress, Fence Connection.

PROFESSIONAL PNEUMATIC CARTON STAPLER

APPLICATIONS -

Heavy duty European tool. Staples can penetrate wood as well as edge boards. Tool has height adjustment to suit different thickness of angle /edge boards. The staples can also penetrate re-enforced angle boards. Fasteners recommended: 16 - 25 mm. PRESSURE: 70 - 80 psi.

FEATURES :

Staples can penetrate wood, edge boards & re-enforced angle boards
Tool has height adjustment to suit different thickness of angle / edges boards
Rear exhaust with silencer



XPRO-PL59025
Industrial Carton Stapler

PROFESSIONAL PNEUMATIC STAPLER & BRAD NAILER



TRS38S
Industrial Crown Stapler

FASTENER SPECIFICATION

Type	16GA. 1" Wide Crown Staples
Length	3/4"~ 1-1/2" (19mm~38mm)
Crown	1" (26.2mm)
Width x Thickness	.055" x .062" (1.4mm~1.57 mm)
Load Capacity	160

APPLICATIONS -

Truss, General construction works, Furniture framing.

PROFESSIONAL PNEUMATIC BRAD NAILER & STAPLER



JS16-80

Industrial Stapler

FASTENER SPECIFICATION

Crown	1/2" (12.7mm)
Length	5/32" 5/8" (4 – 16mm)
Width	028" (0.71mm)
Thickness	0.036" (0.92mm)
Gauge	20

APPLICATIONS -

Upholstered Furniture, TV and Stereo Cabinets Wicker and rattan furniture, automobile industry Bedding industry.

FASTENER SPECIFICATION

Type	18GA. Brad Nails
Length	5/8" – 2" (15 – 50mm)
Shank Dia.	040" x 0.050" (1.05mm – 1.25mm)
Head Dia.	.078" (2mm)
Load Capacity	100 Nails

APPLICATIONS -

Finish And Trim (interior and exterior), Decorative Trim Cabinets, Case Backs, Molding, Mirror and Picture Frames Paneling.



1850A

Industrial Brad Nailer



JNS45

Industrial Stapler

FASTENER SPECIFICATION

Type	16GA. 7/16" Medium Crown Staples
Length	1" – 2" (25mm – 50mm)
Shank Dia	7/16" (11.1mm)
Head Dia	.055" x .062" (1.4mm – 1.57mm)
Load Capacity	160 Nails

APPLICATIONS -

Making And Repairing Wooden Pallets and boxes Type of Packing and crating work Fencing, framing, roof decking, flooring Flooring and building a wooden wall.

FASTENER SPECIFICATION

Type	16GA. 1" Wide Crown Staples
Length	1/2" – 1" (13mm – 25mm)
Crown	1" (25mm)
Width x Thickness	.055" x .062" (1.4mm – 1.57mm)
Load Capacity	160 Nails

APPLICATIONS -

Truss, General construction works, Furniture framing.



TRS25B

Industrial Stapler

POWER PNEUMATIC TOOLS

JITTOOL



INDUSTRIAL ELECTRONIC POWER TOOLS



POWER AIR COMPRESSOR

Features:

Efficient Design: Time-proven air ends, a sequential cooling system and an option Energy recovery System (ERS) significantly improves efficiency

Leak-free Design: V-Shield Technology provides a totally integrated, leak-free design featuring PTFE stainless steel braided oil hoses and O-ring face seals

Remote Intelligent Control: Xe-Series controller delivers increased control functionality through an intuitive user interface and remote access with any common, current web browser


Reduced Downtime: Progressive Adaptive Control (PAC) monitors key operating parameters and continuously adapts to prevent unexpected downtime

Trouble-Free Operation: Features such as two-stage filtration, easy maintenance and extended life Ingersoll Rand premium grade coolant keep your operation running smoothly



ALUMINIUM COMPOSITES PIPE LINES

Size (mm)	Size (inches)	Pipe ID	Pipe OD
16	1/2"	12 mm	16 mm
20	3/4"	16 mm	20 mm
25	1"	20 mm	25 mm
32	1 1/4"	26 mm	32 mm
40	1 1/2"	32 mm	40 mm
50	2"	41 mm	50 mm



EQUAL UNION



Size	Part No
16 x 16	UPC-EU1616
20 x 20	UPC-EU2020
25 x 25	UPC-EU2525
32 x 32	UPC-EU3232

EQUAL TEE



Size	Part No
16 x 16 x 16	UPC-ET161616
20 x 20 x 20	UPC-ET202020
25 x 25 x 25	UPC-ET252525
32 x 32 x 32	UPC-ET323232

EQUAL ELBOW



Size	Part No
16 x 16	UPC-EL1616
20 x 20	UPC-EL2020
25 x 25	UPC-EL2525
32 x 32	UPC-EL3232

MALE UNION



Size	Part No
14 x 1/2"	UBC-MU1404
16 x 1/2"	UBC-MU1604
20 x 1/2"	UBC-MU2004
20 x 3/4"	UBC-MU2006
25 x 1/2"	UBC-MU2504
25 x 3/4"	UBC-MU2506
25 x 1"	UBC-MU2508
32 x 1"	UBC-MU3208
32 x 1 1/4"	UBC-MU3210

Size (mm)



CLAMP

16
20
25
32
40
50

EQUAL TEE



Size	Part No
14 x 14 x 14	UBC-ET141414
16 x 16 x 16	UBC-ET161616
20 x 20 x 20	UBC-ET202020
25 x 25 x 25	UBC-ET252525
32 x 32 x 32	UBC-ET323232

PIPE END



Size	Part No
16	UBC-PE16
20	UBC-PE20
25	UBC-PE25
32	UBC-PE32



DEERFOS



WATERPROOF PAPER (Silicone Carbide)

Used In : Metal, Steel, Wood, Ceramics, Automotive

Colors : Black, Red, White

Sizes : 9" X 11" – All Grits

Packing : 100 Pcs Per Pkt / 100 Pkt Per Carton

SANDING FIBER/CUTTING & GRINDING DISCS

Used In : Metal, Steel, Wood, Stainless Steel, Stone, Concrete

Colors : Black, Red, Green

Sizes : 4", 4.5", 5", 6", 7", 9"

Packing : 25 Pcs Per Pkt / 200-600 Pkt Per Carton



SANDING BELTS

Used In : Metal, Steel, Wood, Stainless Steel, Stone, Concrete

Colors : Black, Red, Green

Sizes : All Sizes & Grits Manufactured & Ready As Per Client Requirement

Packing : As Per order Requirement



EMERY CLOTH ROLLS

Used In : Metal, Steel, Wood, Stainless Steel, Stone, Concrete, Automotive

Colors : Black, Red, Green

Sizes : All Sizes 1"-54" –All Grits

Packing : As Per Order Requirement



FLAP DISCS / VELCRO DISCS (HOOK & LOOP)

Used In : Metal, Steel, Wood, Stainless Steel, Stone, Concrete, Automotive

Colors : Black, Red, Green, Blue, Sand

Sizes : Flap Discs 4", 4.5", 5", 6", 7"

Sizes : Velcro Discs 5", 6", 7"

Packing : Flap Discs 10 Pcs Per Pkt / 100 Pkt Per Carton Velcro Discs 100 Pcs Per Pkt



Abrasives Professional **DEERFOS**

PALLET COLLAR HINGES

Name:	Pallet Collar Hinges
Material:	Galvanized sheet
Length:	100mm 125mm 140mm 150mm 165mm 175mm 190mm 210mm 225mm 235mm 260mm 290mm 360mm 390mm 490mm 550mm 590mm.
Thickness:	1.25mm/1.5mm/1.8mm/2.0mm
Holes:	8 or more



POLYPROPYLENE (PP) CORRUGATED BOX

PP Corrugated Multipurpose Box

We Have Garnered the Clients Appreciation By Offering the Best Quality of PP Corrugated Multipurpose Box to Clients at the Most Affordable Prices. These Boxes Are Made Using The Best Quality Raw Materials and Are Supplied To Clients at leading Market Prices. These Boxes Are Extremely Sturdy, Because Of Which They Are Ideally suited for the purpose of packaging. These Boxes Are Economically Priced To Suit The Clients budget Constraints.



WOODEN AIR HEAT TREATMENT CHAMBER

Purpose

Heat treatment chambers are used to change the chemical and physical properties of wood, making it more durable and less likely to swell and shrink. The process also darkens the wood and improves its thermal insulation properties.

Chamber Operation

Chambers use convection to heat the wood in an inert environment. The wood's core temperature and time in the chamber are monitored to ensure it reaches the required specifications.



ACCESSORIES



PU TUBE PIPE



COILED HOSE



SPRING BALANCER



HOSE REEL BALANCER



FRL



QRC



SOCKET SET



AIR REGULATOR



PU UNION



PU TEE UNION



MALE CONNECTOR



SPRAY PAINT

SAFETY EQUIPMENTS



SAFETY GOGGLES



EAR PLUGS



HAND GLOVES



ARM SLEEVES

Gloves: Protect hands from cuts, burns, and punctures

Eye protection: Includes goggles, safety glasses, and face shields

Hearing protection: Includes earplugs, earmuffs, and canal caps

Respiratory protection: Includes masks and respirators

PACKAGING MATERIALS



LASHING BELT



LASHING BELT RATCHET



BOPP TAPE



STRACH FILM



AIR BUBBLE ROLL



CORD STRAP



FOAM SHEET



PET STRAP



PACKING CLIP



WIRE BUCKLE



TENSIONAR TOOL



CORRUGATED BOX


L CLAMP / CORNER



FASTENERS



SMOOTH COIL NAILS




SCREW COIL NAILS




RING COIL NAILS



LOOSE NAILS




STAPLER PIN
80 SERIES




16WC
STAPLER PIN



CARTON CLOSER



100 SERIES
STAPLER PIN



18G & 16G
BRADS NAILS



POP RIVET



FLAT ALUMINUM RIVET



SEMI-TUBES RIVET



TRUSS HEAD SCREW



SELF DRILLING SCREW



CHIP BOARD BLACK
SCREW



WOOD SCREW

Fasteners can be made from a variety of materials, including steel, brass, and bronze

Fasteners can be coated to protect them from corrosion or to improve their appearance

Fasteners can be generic or specially designed for specific applications

Fasteners can be used to create non-permanent or permanent joints



CAPITAL TRADING CORPORATION



📍 Sr. No. 827, Godown No.2, Chimbli Alandi Road, Near Shell Petrol Pump, Chimbli Phata, Pune Maharashtra - 412 105.

✉ capital.ctc2016@gmail.com

☎ 9822 92 66 22 / 9717 40 90 32



SCAN FOR
LOCATION